

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	77601	(partition\$3 or decompos\$7 or divid\$3 or cluster\$8 or group\$3 or classif\$8 or categor\$8) same (rundeck or run-deck or run\$4 adj3 deck or rule or constrain\$3 or drc)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 13:28
L2	3718400	(layer or hierarch\$6 or multilayer or multi-layer or GDS\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 13:30
L3	6883347	(sort\$3 or filter\$3 or order or eliminat\$4 or discard\$3 or (throw adj2 (out or away)) or (get adj2 rid) or reject\$4 or omit\$4 or omission or remove)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 13:31
L4	1580	1 same 2 same 3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 13:56
L5	88	4 and 716/1-18.ccls.	US-PGPUB; USPAT	OR	ON	2006/03/02 13:35
L12	68	1 same 2 same 3	EPO; JPO; DERWENT	OR	ON	2006/03/02 14:00
L13	46	12 and g06f\$.ipc.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 14:01
L15	134	5 or 13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 14:02
L16	202991	(memory near5 (size capacity amount (how adj2 much)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 14:03
L17	30	15 and 16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 14:14

## EAST Search History

L18	30	16 and 5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 14:14
L19	0	16 and 13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 14:14



Welcome United States Patent and Trademark Office

☐ Search Session History[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)[SUPPORT](#)

Edit an existing query or  
compose a new query in the  
Search Query Display.

Thu, 2 Mar 2006, 2:50:08 PM EST

Search Query Display

Select a search number (#)  
to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

Results

#1	(((rule or rundeck or run-deck or drc) and (layer pr hierarch*6 or multilayer or multi-layer or gds*3))<in>metadata)	578
#2	((((rule or rundeck or run-deck or drc) and (layer pr hierarch*6 or multilayer or multi-layer or gds*3))<in>metadata)<AND>((memory <near/5> (size or capacity or amount))<in>metadata))	2

[Help](#) [Contact Us](#) [Privacy & Security](#) [IEEE.org](#)

© Copyright 2006 IEEE – All Rights Reserved

